altex®
Computers & Electronics

SURVEILLANCE CATALOG

Rev 31.10

INDEX

Analog Cameras
- Box Cameras 9
- Bullet Cameras 7-8
- Dome Cameras 4-6
- PTZ Cameras 6

Digial Cameras
- IP Cameras 11
- Wireless Cameras 12-13

Camera Accessories
- Baluns 20
- Bulk Cable 22
- Connectors / Crimpers 21
- Housing 18
- Hubs 17
- Lens 10
- Monitors 17
- Mounts 17-18
- Power Supplies 19-20
- Power over Ethernet 14-15
- Plugs 19
- Testers 17

DVR Systems & Accessories
- Capture Systems 16
- DVR All-in-1 Kits 1
- DVR Systems 1-3
- IP Video Encoders 6
- Lock Box 16
- Mics & Transmitters 16

ALL THE DEVICES,
FOR ALL OF YOUR
SURVEILLANCE NEEDS.

800-531-5369

www.altex.com

DIY (Do-It-Yourself) Surveillance Kits

The LTS Camera H.264 DVR Security Systems make advanced technologies simple! Realtime display /record professional grade equipment designed for the do-it-yourselfer. New H.264 technology will enable smoother video stream over the internet and with a surveillance optimized hard drive installed will provide extra long recording time. You can monitor your properties from anywhere over the Internet or iPhone / 3G mobile phone (with Windows Media or Symbian)!

LTS 4 Channel DVR Kit with 10" LCD Monitor with 4 Cameras

- Pre-Installed 500GB SATA Surveillance Optimized Hard Drive
- High Resolution Realtime Recording
- Remote View via 3G Phone- Windows Mobile and Symbian
- Email Alert and Day-Light Saving Time
- 4 channels video and audio inputs DVR system with 10.4" TFT LCD

Also includes 4 Sony Night Vision Cameras with 3.6mm Lens, 4 x 60' Cables, 1 x 1 to 4 Splitter Cable, Remote Control, USB Mouse, 1 x Power Supply

LTS LT Security Inc.

$499.95
LTD6104CDK

8 Channel LTS DVR with 8 Cameras

- 8 Channel H.264 real time CIF recording
- Easy installation and user-friendly operation
- Support D1 recording/ all channel palyback
- Mobile phone live view iPhone, Blackberry, Android, and more
- Dual stream for faster internet viewing
- Surveillance optimized HDD installed and tested
- Support PTZ control, audio and alarm functions

Cameras:
- 8 Cameras, 12v
- 1/4" SONY Color CCD
- 420 TV Lines, 3.6mm fixed lense
- 12 IR LEDs effective distance up to 45ft
- 8 x 60' cables

LTS LT Security Inc.

$624.95
LTDVR8-1TB

16 Channel LTS DVR with 8 Cameras

- 16 Channel H.264 real time CIF recording
- Easy installation and user-friendly operation
- Support D1 recording/ all channel palyback
- Mobile phone live view iPhone, Blackberry, Android, and more
- Dual stream for faster internet viewing
- Surveillance optimized HDD installed and tested
- Support PTZ control, audio and alarm functions

Cameras:
- 8 Cameras, 12v
- 1/4" SONY Color CCD
- 420 TV Lines, 3.6mm fixed lense
- 12 IR LEDs effective distance up to 45ft
- 8 x 60' cables

LTS LT Security Inc.

$799.95
LTDVR16-1TB

LT Security 8-Channel 10" LCD DVR H.264 1TB

LT Security's LTD7008 is a compact tablet sized DVR system with a 10.2" LCD screen. Supporting 8 channel playback, it also includes a wall mount bracket plus a DVR stand.

- 8Ch playback
- H.264 Compression format
- Live view on Smart Phones
- Remote Monitoring / Control via CMS or Web Browsers
- Multi-User management
- DAT or AVI Backup
- 60fps D1 / 240fps CIF

$549.95
LTD7008

4 Channel H.264 Pentaplex Network DVR

- Standard H.264 format; CIF Realtime display, realtime recording
- Pentaplex mode: recording, playback, setup, backup, network and mobile phone surveillance simultanously
- Easy Backup: download recorded files via IE browser through network, or to external USB2.0 device
- Support full mouse control via USB mouse
- Supports mobile phone surveillance on iPhone, Google Phone, and those with Windows CE or Window Symbian OS

LTS LT Security Inc.

$149.95
LTD7904

CCTV 4 Channel H.264 120fps Digital Video Recorder with a 500Gb SATA Hard Drive

$239.95
DVR414-500

- H.264 triplex real time DVR
- Graphical interface
- Supports 1/2/4 ch simultaneous playback
- Multiple operation modes, supports any channel playback under real time surveillance
- Supports dual coding stream
- Supports 3G mobile phone surveillance and email function
- Supports D1 and CIF resolution recording
- Supports multilingual operation system
- 4 channel alarm input

DW DIGITAL WATCHDOG
Everything's Digital

8 Channel H.264 240fps DVR with a 1Tb SATA HD

$324.95
DVR814-1

- H.264 triplex real time DVR
- Graphical interface
- Supports 1/2/4/8 ch simultaneous playback
- Multiple operation modes, supports any channel playback under real time surveillance
- Supports dual coding stream
- Supports 3G mobile phone surveillance and email function
- Supports D1 and CIF resolution recording
- Supports multilingual operation system
- 8 channel alarm input

8 Channel H.264 Digital Video Recorder

The D8RS1TB is a H.264 Multi-Channel Digital Video Recorder which features an easy and simple graphical user interface which includes multiple language on-screen menus. It's password controlled and has built-in SMART Technology for users to monitor HDD temperatures. The D8RS1TB also includes motion detection, sensor, schedule, continuous and manual recording functionality.

$619.95
D8RS1TB

speco technologies®

4 Channel H.264 Digital Video Recorder

$429.95
D4RS1TB

- 4 Channel Digital Video Recorder
- Networkable DVR with free DDNS sever
- Easy record setting using EZRecord
- Programmable recording on motion detection, sensor, schedule, continuous and manual
- Recording rate at 120 FPS at D1 • H.264 Video compression
- Instant and convenient backup via USB Flash Drive or Network

Speco 16 Channel H.264 Professional DVRs

1TB
$889.95
D16CS1TB

2TB
$979.95
D16CS2TB

- H.264 recording
- Built in S.M.A.R.T. Technology (Self-Monitoring, Analysis and Reporting,Technology for HDD)
- Recording rate up to 480FPS
- Free Speco DDNS service for use with dynamic IP addresses
- MAC® & PC compatible software included
- POS/ATM support with text overlay and searchable database
- Simultaneous live view or playback while continuing to record, network transfer
- Text message alerts of system activity and status
- Remote monitoring, recording, playback, change system settings and camera control via network and/or Internet
- Real time live display
- IR Remote control included - individually control up to 16 DVRs
- Multiple analytics such as museum search and advanced motion detection
- USB 2.0 port for video clip exporting
- Free Central Management System (Speco Central) software allows viewing o multiple DVRs on a PC
- Email notification of alarm events
- SNS communication alert via Twitter
- Per channel built-in PTZ camera protocol including Pelco D
- Automatic camera detection (Plug & Play)
- Digital Zoom in live mode and playback
- Covert camera operation provides enhanced security and administrator control

LET US BUILD YOUR NEXT SURVEILLANCE DVR!

EVERY BUILDING & LOCATION IS UNIQUE, THEREFORE EVERY DVR NEEDS TO BE UNIQUE

Whether you are looking for a 1-3 camera set-up, or as many as a hundred, Altex can help you choose the correct hardware for the job, and assemble it at no charge.

ALREADY HAVE AN ANALOG SET UP AND DON'T WANT TO THROW AWAY ANY CAMERAS?

No problem! We sell analog to digital converter boxes that allow your analog cameras to interface with our new IP Surveillance DVR servers.

NO MATTER YOUR SIZE, PERFORMANCE OR STORAGE REQUIREMENTS, WE HAVE YOU COVERED!

We can build servers ranging in size from Micro Servers to pedestal full size towers, to rackmount powerhouse servers. Processors range from Intel® Core i3-Series processors all the way to the powerful Intel® Xeon Processor. Terabytes upon terabytes of storage can be added!

DON'T SETTLE FOR A STANDARD SURVEILLANCE DVR! YOU HAVE ONE SHOT! MAKE IT COUNT!

Altex has been building custom surveillance DVR systems for over 8 years, designing and offering customer exactly what they want for the project at hand. We have built more than 2500+ server randing from 1U and 2U rackmount systems, to small or large pedestal servers.

Our IT Professional customers know its a fact that custom systems are always better. Expansion, Speed, and Repairability are the three main reasons your next surveillance DVR needs to be an altex custom!

STOP BY TODAY AND SPEAK WITH A SALES REPRESENTATIVE FOR MORE INFORMATION!

Speco H.264 16-Channel Digital Video Recorder with Network/ DDNS Server, 1TB HDD

$699.95

D16RS1TB

- 16 Channel Digital Video Recorder • Networkable DVR with free DDNS sever
- Easy and simple graphical user interface • Programmable recording
- Recording rate at 120 FPS at D1 • H.264 Video compression
- Built in S.M.A.R.T Technology • 4 Channel audio recording
- Covert camera operation • Password to secure installation authorization
- Instant and convenient backup via USB Flash Drive or Network
- Simultaneous playback/record while continuing to network transfer or backup
- Remote monitoring/recording/playback/configuration and control via Internet

Color Dome Camera 3.6mm Lens

- Compact Mini Dome
- Indoor Use
- 70 Degree Field of View
- 1/3" Color CCD

$49.95
VL-ID53C

inMotion 1/3" CCD SDN Varifocal Dome Camera

- inViVid® Color Technology
- 600TV Lines Resolution
- 2.8mm-12mm Lens
- Dual Voltage 12VDC / 24VAC

$134.95
IN45S3N2D28V12

White High Resolution Dome Camera

$99.95
CD35VAD-HW

- 1/3" Color CCD Camera
- 3.5~8mm Auto Iris Lens
- 560TVL • 0.1Lux
- Dual Power DC12V/AC24V

VITEK
INDUSTRIAL VIDEO PRODUCTS, INC.

Vitek Vandal Resistant Mini Dome

- 1/3" Sony Super Had CCD
- 550 TV Lines of Resolution
- 3.6mm Fixed Lens Included
- Minimum Illumination of 0.3 Lux
- Semi-Flush or Surface Mounted
- IP-66 Rated Vandal Resistant Aluminum Enclosure
- Polished Chrome Finish
- 12VDC Operation

$124.95
VTD-MD5CH

Speco Intensifier 3 Series Tamperproof Dome Bullet Camera

$298.95
HT-INTD8

- 650 lines of color resolution
- 2.8-12mm DC auto iris varifocal lens
- Amplify existing light with no distance limitations
- No problems caused by objects that reflect or absorb IR light sources
- Minimum illumination 0.00002 lux (Intensifier3™ @ 512x)
- 12VDC / 24VAC dual voltage operation
- Full OSD operation and test monitor output
- 3-axis wall or ceiling mount
- External controls for zoom & focus
- EZ mount system simplifies installation
- Relay outputs for motion detection
- Weather resistant operation
- IP66 compliant
- Anti-moisture glass and circuitry eliminates fog or condensation under any weather condition
- 5 year Mfg. warranty

Speco Intensifier Series Tamperproof / Weatherproof Dome Camera



- 540TV Lines
- 2.8 to 11mm auto iris varifocal lens
- Intensifier
- 0.002 lux (intensifier) 0.03 lux (shutter)
- Weatherproof / Tamperproof
- Dual Voltage 12VDC /24VAC
- White Decora Cover Included

$259.95
HT-7246IHR

See in the Dark Without IR LEDs!

speco technologies®

Speco Vandalproof IR Dome Camera w/ Varifocal Lens

- 4-9mm vari-focal auto iris lens
- 420TV Lines resolution
- Internal IR LEDs with anti-reflective technology
- 20M IR range using 22 IR LEDs
- Tamperproof construction
- IP67 rated for extreme weather applications
- Multi-function dip switches for precise camera adjustment
- 12VDC (included)

$224.95
VL-650IRVF/S

Miniature Color Dome Camera with Chameleon Cover

- 420 TV Lines • 0.1 Lux
- 3.6mm fixed board lens
- 3-way internal wall & ceiling mount
- Weather, Vandal, and Tamper resistant
- 3.07" (H) x 4.33" (Dia.)
- 12VDC Required

$128.95
CCLR13D7G

Speco Color Indoor IR Dome Camera w/ Anti-Reflection Technology

- 420 TV Lines • Day/Night
- 0 lux with IR on, 1.0 lux with IR off
- 3.6mm Fixed Lens
- 1/3" Sony Super HAD* color CCD
- 60' IR Range (depending on scene reflection)
- 12VDC

$126.95
VL-648IR

inMotion 1/3" PIXIM SDN Vandal Resistant Micro Dome Camera

- Ultra compact vandal dome camera
- HiRes boardlens (3.6/4.3/6mm)
- 1/3" Pixim 8800C Seawolf Chip
- Progressive Image Sensor
- Global Electronic Shutter
- Ultra High Resolution D1
- 690 HTVL-Effective*
- Min. Illumin. 0.1 Lux@ 50 IRE F1.2 Color
- Digital Day/Night Function
- 12VDC

$189.95
IN40S1N1L38

Miniature Turret Camera with IR LEDs

- 1/3" Sony Super-HAD™ CCD
- 540 TV lines resolution
- Built-In 3.4mm fixed lens
- 10 IR LEDs built-in 0.1 lux (IR LEDs off) 0.0002 lux (IR LEDs on)
- Compact size - Only 1.89" in diameter!
- Vandal resistant housing
- Cast aluminum construction
- Impressive picture quality
- IP66 compliant
- Perfect for use in vehicles
- 5 year Mfg. warranty

$129.95
CVC-71HRB (BLACK)
CVC-71HRW (WHITE)

Speco Mini
Vandal Resistant Cameras
Discreet Tiny Cameras with BIG Performance!

speco technologies®

Intense Light Turret Camera

- Day & night camera without using IRs
- 1/3" Sony Super-HAD™ CCD
- 600 TV lines super high resolution
- Compact Size - Only 1.89" in diameter!
- Vandal resistant housing
- Cast aluminum construction
- Integrated 2.5mm wide-angle fixed lens
- Extreme low light functionality
- IP66 rated
- 5 year warranty

$148.95
CILT000T6W

Speco Mini Weatherproof, Vandal Resistant Color Camera

- 1/3" Sony Super-HAD™ CCD
- 540 TV Lines Super High Resolution
- Compact Size - Only 48mm In Diameter!
- Vandal Resistant Housing
- Cast Aluminium Construction
- Integrated 3mm Fixed Lens
- Impressive Picture Quality
- Weatherproof (IP66 Rated)
- 12V DC Required

$109.95
CVC61HRB (BLACK)
CVC61HRW (WHITE)

Advidia A-46 Weather-Proof Vandal-Proof Network Mini Dome Camera

- Up to 2 MP resolution; Real time video at HD 720P; Standard H.264 video compress ratio; Progressive scan CMOS; Support ePTZ function; PoE; 3-axis positioning; Weather-Proof Rating IP66

$389.95
A-46

$249.95
IN51S1N1D28V11

inMotion Dome Cameras

1/3" Indoor

Software Day or Night Operation; Compact Die-Cast Construction; 2.8~12mm, 9~22mm, and 18~50mm lenses with motorised controls.

1/3" Outdoor

IP66 Die-Cast Construction; Surface Mount; 3/4" NPT Side entry; Multiple Lens Version 2.8~11mm or 9~22mm;

$229.95
IN60S1N1D28V11

1/3" Pixim 8800C Seawolf Chip; Motion Detection; Elec Shutter

Digital Watchdog 10x Star-Light Outdoor Day/Night Mini Speed Dome Camera

Digital Watchdog's Compact Speed Dome Camera PTZ10X leads the market in performance, size, flexibility, reliability, and cost. Developed with the same top standards of excellence our clients have come to trust over the years, the versatility and performance of this Vector Driven Mini-PTZ is unmatched. It offers Star-Light, built-in privacy masking, and automatic true day and night capability.

- 520 TVL [Color], 570 TVL [B/W]
- 1/4" CCD, 811 [H] x 508 [V]
- 10X Optical Zoom [3.8mm ~ 38mm]
- 10X Digital Zoom
- Pan: 0 - 360 Degrees Endless
- Pan Speed: 360 Degrees Per Second
- Vector Drive [Pan/Tilt at Same Time]
- Star-Light [X128 Shutter Speed]
- 3D-DNR [3D Digital Noise Redution]
- 3D-DNR [3D Digital Noise Redution]
- Heater and Fan Built-in
- Auto Day and Night [IR Cut Filter]
- RS 485 Communication
- Time and Day Schedule
- 127 Preset Positions
- 4 Privacy Zones
- 2 Alarm Inputs and 1 Alarm Output
- Vandal Proof, Weather Proof
- Operating Temperature: -4 ~ 122 Degrees Fahrenheit

$649.95
DWC-PTZ10X



DW DIGITAL WATCHDOG
Everything's Digital

6" High Resolution Color Speed Dome PTZ Camera

COP-USA, Inc.
CCTV Security Products

$899.95
CD55NV-36S

Features:
6" High Color Speed Dome
432X High Resolution (Day & Night)
530 TVL
Wall/ Ceiling Mount Included
Heater / Blower Built-in

PTZ:
Pan Speed: 0~300°/sec
Tilt Speed: 0~120°/sec
Pan Range: 360° continuously
Tilt Range: 90° (180° w/ auto flip)
Presets: 128 presets (Total)
Communication: Multiprotocol, RS485
Weight: 8Lbs / 4Kg
Operating Temperature: -35°C to +55°C (w/ Housing)

Video:
Optical Technology Base: High Resolution Color 1/4" SONY image Sensor
Picture Elements (H x V in mm): EIA/NTSC: 768H x 494
View Angle: 57.8° SONY's Wide-D technology
Resolution: 530 Lines 752H x 582V
Mini Illumination: 0.01 Lux
S/N Ratio: >50dB
Shutter Speed: 1/1~1/10000s
Zoom: 36X Optical 12X Digital
Focus: Auto / Manual
Focal Lenght: f=3.4mm(WIDE) ~122.4 mm(TELE) F1.6 to F4.5
Iris: Auto / Manual
White Balance: Auto / Manual
Video Output: 1Vp-p , 75

Power:
Power Supply: AC24V +/- 1.50
Power Consumption: 20VA

VideoInsight IP Video Encoders

Using video encoders, you can easily integrate your existing analog systems into a comprehensive IP Video System. Video Encoders turn an analog video system into a network video system. Each IP Video Encoder comes bundled with licenses for VideoInsight enterprise class IP Video Surveillance software. Just plug in your analog cameras and start using an IP based system. Add IP cameras to the same system as you need them. Use video encoders to obtain better images from your analog cameras. Replace existing poorly functioning digital video recorders with a software solution using our video encoders。

	1 Channel (VP1)	4 Channel (VP4)
Inputs	1 BNC	4 BNC
IP Licenses	1 Camera	4 Cameras
Compression Type	H.264	H.264
Resolutions	D1	D1
FPS	30	30
De-interlacing image	Yes	Yes
PTZ Support	RS - 232 / 485	RS - 232 / 485
PTZ Protcals Supported	60	60
Audio Inputs / Outputs	1	1
Analog licences included	1	4
3 Year Mfg. Warranty	Yes	Yes

Leverage Existing Analog Video Infrastructure While Transitioning to IP-Based Systems!

1 Channel Encoder
$279.95
VP1

4 Channel Encoder
$679.95
VP4

Speco Intensifier 3 Series Tamperproof Bullet Camera

- 650 lines of color resolution
- 2.8-12mm DC auto iris varifocal lens
- Amplify existing light with no distance limitations
- No problems caused by objects that reflect or absorb IR light sources
- Minimum illumination 0.00002 lux (Intensifier3™ @ 512x)
- 12VDC / 24VAC dual voltage operation
- Full OSD operation
- External controls for zoom & focus
- S/N Ratio more than 52dB (weight on)
- EZ mount system simplifies installation
- Relay outputs for motion detection
- Weather resistant operation
- IP66 compliant
- Anti-moisture glass and circuitry eliminates fog or condensation under any weather condition
- 5 year Mfg. warranty

$289.95
HT-INTB8

Speco Intensifier 3 Series Tamperproof Bullet Camera w/ 5-100mm Lens 650TVL..(HT-INTB9)...$412.95

Speco Weatherproof Color DSP Bullet Camera w/ Varifocal Lens and IR LEDs

$159.95
VL-66

- 1/3 inch CCD Image Device
- 4mm - 8mm Iris Varifocal lens
- 420 Lines Resolution
- 0 Lux with IR on, 0.5 Lux IR off
- Shutter Control: 1/60 - 1/100,000 sec.
- Power Consumption: 180mA
- 12 Volts DC regulated power supply included
- Dimensions: 2.5 inch D x 4.75 inch L
- Wall/Ceiling Mount Included

speco technologies®

GVI High Resolution Bullet Camera w/4MM Lens

- 520TVL
- 0.15 LUX @ 15IRE
- Day/Night IR Pass Filter
- 24 Integral 850nm IR LED's with CDS Sensor
- 49' IR Range
- IP67 Rated
- 12VDC
- 6-Month Warranty through Altex

$84.95
GV-BCC825

Vitek Day/ Night High Resolution IR Bullet Camera

- High Density 1/3" Sony EX-VIEW CCD & Effio-E DSP
- 700 TV Lines of Resolution
- E-WDR by Adaptive Tone Reproduction
- 30 850nm Infrared LEDs with up to 100' Range
- 0.003 Lux (F1.2 @ 40IRE) / 0 Lux with IR LEDs On
- IR Corrected 2.8-10mm Varifocal DC Auto Iris IR Lens
- 2DNR Noise Reduction
- Motion Detection, Privacy Masking & Highlight Masking
- OSD (On Screen Display) menu and Camera ID
- IP-66 Rated Water Resistance
- Heavy Duty Mount with Cable Feed Through
- 24VAC/12VDC Dual Voltage

$189.95
VTC-IRE30/2810

VITEK INDUSTRIAL VIDEO PRODUCTS, INC.

Speco Ultra Wide Angle Waterproof Color Bullet Camera

$179.95
CVC-638/170

- 420 Line
- 1/3" CCD format
- 1 lux
- 2.2mm lens (170 degree angle view)
- 12V DC power supply
- 3.25"L x 1.5" W

1/3" SONY CCD Professional Color Bullet Camera

$84.95
CM35IR-48H

- 480TVL
- 0 LUX with IR LEDs ON
- 48 IR LEDs 3.6m Lens w/ Sunshield & Bracket
- (12VDC) 500mA

High Resolution Color Camera with Zoom

$324.95
CLP55VAIR-HSL

- 1/3" CCD High Resolution Color Camera
- High Resolution 560TVL (0 LUX with IR ON)
- Blue crystal filter (LPF)
- Slow Shutter (Sense up to 32X)
- 66 High Intensity IR LEDs
- 5~100mm Auto Iris Lens Included
- IP66 Weatherproof Housing
- DC12V 700mA
- Bracket Included

speco technologies®

1/4" Color Sunshield Bullet Camera with 3.6mm Lens.

$89.95
CM25SH

- 1/4" Color CCD image sensor
- 480TV Lines
- 0.1 Lux
- Lens: 3.6 mm / F2.0
- 12V DC

Speco 1/3" CCD B/W Weatherproof Bullet Camera

- 1/3" B/W CCD image sensor
- 420TVL
- 3.6mm Lens
- 0.02 lux
- Weatherproof
- 12V DC power supply

$88.95
CVC-130R

All Purpose High Resolution 480TVL Weather Proof Night Vision Camera

$99.95
CMR818B

- 1/3" Sony Super HAD CCD
- 480 TV Lines
- 42 pcs LED, 100~130FT IR Range
- 2.8~12mm Vari-focal Lens
- 0 Lux (IR On)
- External zoom and focus adjustments
- 3-Axis Pan/Tilt Rotation Bracket
- Cable Concealment Bracket
- IP65 Rating Weather Proof
- 12V DC, 700mA (IR On)

LT Security HR Camera

- SONY 1/3" Super HAD CCD II
- 700 TV lines resolution
- 2.8 ~ 12mm varifocal lens
- Advance 2D noise reduction (2DNR)
- Backlight control
- 3-Axis Bracket
- DC 12V input
- Weather & vandal resistant

$149.95
LTCMR8270B

LTS 1/4" CCD Camera

- 3.6mm Lens
- 420TVL
- 12VDC

$59.95
LTCMR819

Cop-USA Color Bullet Camera with Audio and 23 LED's

- Color
- 1/3" CCD image sensor
- 420 TVL
- 23 LED's IR
- 0.01 Lux
- 3.6mm Lens / F2.0
- DC12V
- Aluminum Housing
- Weatherproof Class: IP 67

$94.95
CM35AIR

Speco Color Bullet Day/ Night Camera w/ 20 IR LEDs

$153.95
CVC-627
CVC-627/BK

CVC-627

CVC-627/BK

- 420TV lines
- 0.01 lux (LED off), 0 lux (LED on)
- Waterproof Color Day/Night
- 1/4" Sony Super-HAD CCD
- 3.6mm Lens
- Iris: Electronic Shutter
- 20 LEDs controlled by CDS sensor, 45' range
- 12V DC Regulated power supply included
- Universal wall/ceiling mount included
- Dimensions: 2.75" Dia. x 3.65" (L)
- 60' of power/video cable (on CVC-627)
- **5' of power/video cable (CVC-627BK)**

Speco Weatherproof Bullet Camera w/ IR LEDs & 6mm Lens

$137.95
CVC-627SCS

- 1/3" Sony Super-HAD CCD
- 540TVL
- 6mm Lens
- Day/Night with IR LEDs
- 0.5 Lux
- 12VDC

speco technologies®

Covert PIR Motion Detector Camera

$79.95
CH21CE

- 1/3" CCD image sensor
- 420 TVL
- Minimun Illumination: 0.1 Lux
- Lens: 3.7mm Pinhole Lens
- Power supply : DC12V
- Power Consumption: 150 mA

Smoke Detector 470TVL Color Camera

$79.95
SDR35

- Color CCD Camera
- SONY CCD image sensor
- 470 TVL
- Minimun Illumination: 0.1 Lux
- Horizontal Sync
- Function: Alarm Output
- 3.7mm Pinhole Lens
- Power supply : DC12V

Pinhole Camera

Speco Miniature Camera w/3.7mm Conical Pinhole Lens

$114.95
CVC-770PHSCS

- 1/3" Sony Super-HAD* CCD
- 540 TV line
- 0.5 lux
- Day/Night – Auto / Color / B&W
- 12 Volts DC Required

Box Cameras

Speco 1/3" Sony Super-HAD Intensifier Series Box Camera

$159.95
VL-INTT5

- 540 TV lines
- .002 lux (Intensifier mode) .03 lux (shutter)
- Accepts "CS" type lenses
- Intensifier: Built-in (selectable from 2x - 128x)
- Digital Noise Reduction: ON / LOW / MIDDLE / HIGH
- 12 Volts DC required
- Motion Detection: 4 adjustable zones
- On-Screen Display (O.S.D.): Built-in
- **Lens NOT Included**

inMotion 1/3" PIXIM SDM Box Camera

- 690HTVLe
- Dual Voltage 12VDC/24VDC
- CS Mount
- **Lens NOT Included**

$199.95
IN11S1N1D

inMotion 2.8mm-12mm IR Corrected Lens

INLS2812DN.....$89.95

inMotion 7.5mm-50mm IR Corrected Lens

INLS755DN.....$124.95

1/3" inMotion CCD Box Camera

- 1/3" Sony SuperHAD II CCD
- 600TVL
- Dual Voltage 12VDC/24VDC
- CS Mount

$139.95
IN11S3N2D

Camera Lenses

Varifocal 6mm to 60mm Auto Iris Lens

$89.95
L0660ZD

Speco 2.2mm B/W Board Camera Lens

$19.95
CLB-2.2

This 2.2mm B/W board camera lens can be used with model number CVC-50BC, (B/W mini board camera) or any similar camera.

- Size: 2.2mm
- Type: B/W board camera lens

GVI Security 1/2", 1/3", 5-100mm, Vari-Focal, DC Auto Iris Lens

$99.95
GV-5-100ADC

1/3" 3.5-8mm Vari-Focal Auto Iris Lens

- 1/3" vari-focal lens
- 3.5mm-8mm
- F1.4 - 64
- Dc auto iris control
- Metal cs mount
- Plastic body
- Glass optics

$39.95
GV-3.5-8ADC

5 to 100MM DC Auto Iris Lense

$98.95
VF5-100DC

3.5MM-8MM Vari-Focal Auto Iris Lens

$29.95
LENS-3.5-8MM-A

2.8 to12MM DC Auto Iris Lense

$62.95
VF2.8-12DC

3.5mm to 8mm Auto Iris Lens

$34.95
VF3.5-8DC

Do Not Forget To Pickup A Lens For Your Camera! Lens Not Included With Box Cameras!

Altex Standard Stocked Items

4 Catalogs Cover Our 10,000+ Products We Stock!

ACTi H.264 Megapixel IR Network Camera with 3.3-12mm Lens

$559.95
TCM-1231

- 1/3" Aptina Progressive Scan CMOS
- Day and night function with mechanical IR cut filter
- Minimum illumination 0 lux with IR LED on
- Built-in 3.3-12 mm / F1.6 Megapixel vari-focal lens
- 18 fps at 1280 x 1024 resolution
- Selectable H.264, MPEG-4 SP, MJPEG compressions with dual streaming
- Video motion detection • Two-way audio
- Digital input and digital output • Wide Dynamic Range
- Weatherproof IP66 rated casing
- Powered by PoE Class 3 / DC 12V

ACTi Connecting Vision

ACTi H.264 IP 4 MegaPixel Outdoor Day/Night IP Rugged Dome Camera

$659.95
TCM-7411

- 1/3" Aptina Progressive Scan CMOS
- Day and night function with mechanical IR cut filter
- Minimum illumination 0.05 Lux at F1.0
- Built-in f3.3 - 12 mm / F1.6 Megapixel vari-focal lens
- 18 fps at 1280 x 1024 resolution
- Selectable H.264, MPEG-4 SP, MJPEG compressions with dual streaming
- Video motion detection • Two-way audio
- Digital input and digital output • Wide Dynamic Range
- Vandal proof and weatherproof IP66 rated casing
- Powered by PoE Class 3 / DC 12V

ACTi Connecting Vision

ACTi TCM-5611 H.264 Megapixel IP Box Camera

ACTi Connecting Vision

$424.95
TCM-5611

- 1/3" Micron Progressive Scan CMOS • 0.05 Lux at F1.0
- Day and night function with Mechanical IR Cut Filter
- Bundled with f4.2mm / F1.8 Megapixel fixed lens
- Interchangeable Lenses Available • Up to SXGA resolution at 18 FPS
- H.264 / MPEG-4 SP / MJPEG triple codec with two simultaneous streams
- Wide Dynamic Range function supported • Two-way audio supported
- Shutter Speed, White Balance, Exposure, Gain Controls supported
- Hardware motion detection, Digital Input / Output
- DC 12V or Power over Ethernet (IEEE 802.3af) supported

Foscam White Outdoor Wireless IP Camera, 6mm Lens

$124.95
FI8905W

The FI8905 is a wireless or wired IP camera for outdoor use. It combines a high quality digital video camera with network connectivity and a web server, bringing clear video to your desktop or smartphone from anywhere on your local network or over the Internet.

FOSCAM

- Waterproof for outdoor installation
- Simple to setup, friendly GUI, remote viewing, record from anywhere anytime
- Supports all standard browsers and can be viewed remotely using smartphone software (not included)
- Wi-Fi compliant with wireless standards IEEE 802.11b/g and supports both WEP & WPA WPA2 encryption
- Motion detection alert via email or upload image to FTP. Access management with password protection

Pixord FishEye 360 Degree 2.0 Mega Pixel H.264 IP Internet Camera

$449.95
PD636E

The e-PTZ functions without moving parts, which can perform as a mechanical PTZ camera without Pan/Tilt maintenance or wear and tear cost. Further functions include PoE, two-way audio, DI/DO, Micro SD for local storage. Thus, PD636 can be used in all new scenarios. The panoramic coverage ability enables customers to cost-effectively install less cameras and spend less maintenance time and efforts.
Supports ceiling and table mounting, as well as table view applications. Day/Night Function with mechanical ICR.

Foscam Black / White Wireless IR-Cut Filter IP Cameras

$121.95
FI8910W

The Foscam FI8910W and FI8910W-WH Wireless IP Cameras now contain an IR-Cut filter embedded into the camera. This filter grands truer colors and contrast.

- IR-Cut Filter for true color video and images
- Two-Way Audio
- 300 Degree Pan, 120 Degree Tilt
- IR lights for night vision up to 8 meters
- 640 x 480 VGA Resolution
- 802.11 b/g
- 1 Year Manufacturer's Warranty

$124.95
FI8910W-WH

FOSCAM

ACTi TCM-3411 H.264 Megapixel IP Fixed Dome Camera

$424.95
TCM-3411

- 1/3" Aptina Progressive Scan CMOS
- Day and night function with mechanical IR cut filter
- Minimum illumination 0.5 Lux at F1.0 (TCM-3401) / 0.05 Lux at F1.0
- Built-in f4.2mm / F1.8 Megapixel fixed lens
- 18 fps at 1280 x 1024 resolution
- Selectable H.264, MPEG-4 SP, MJPEG compressions with dual streaming
- Two-way audio • Wide Dynamic Range
- Digital input and digital output
- Powered by PoE Class 3 / DC 12V

ACTi Connecting Vision

LTS Wireless IP Cameras w/30 IR LEDs

LTCIP830MV-8

LTCIP830MV-8-W

$189.95
LTCIP830MV-8
LTCIP830MV-8-W

LTS
LT Security Inc.

- Easy to Install and Management
- Wireless IEEE 803.11b/g
- Simultaneous MPEG-4 and Motion JPEG
- Built-in Microphone for Synchronized Audio
- Up to 30 Frames/ sec in VGA Resolution
- Live Video and Audio via 3G Mobile Phone
- Motion Detection Alerts via Email and FTP
- View and Record Live Video from Anywhere
- Support Mini SD Card

Wireless Cameras

The Wireless-N Internet Home Monitoring Camera is designed to send live video to your home computers, or through the Internet to a web browser or smartphone anywhere in the world! This compact, self-contained unit lets you keep track of your home, your kids, your workplace -- whatever's important to you.

$129.95
WVC80N

- Supports up to 5 simultaneous unicast connections
- Multicast RTP allows multiple users to access the media stream
- Multi-platform support – TCP/IP, SMTP (Email), HTTP, DHCP, and FTP
- Windows-based Setup Wizard for easy setup
- WEP, WPA, and Wi-Fi Protected Access™ 2 (WPA2) Encryption
- Supports multiple resolution streams – can be used by PC and smartphone simultaneously
- Easy to use multi-camera monitoring utility with Snapshot feature
- Monitor your home from anywhere in the world
- Integrated web server - viewable from most web browsers
- Supports MPEG-4 and MJPEG compression
- View video from your Wireless-N or wired Ethernet network
- Motion Detection and Email notiication
- Create a database for user authentication
- Supports resolution of up to 640x480 pixels
- Time Stamp & Text Overlay

Front Door Security Camera Kit

The FDC-1 is a wired package that offers a day/ night vandal/ weatherproof IR dome that can be wired directly to your TV's video input to allow you to see who is at the front door just by the push of a button.
Front Door Security Camera Kit contains (1) 420 Line Color Dome Camera with IR Illumination for Night Vision, 100 Foot Power and Video Combo Cable with Instant Power Hook-Up (RCA), and a Plug-In Transformer.

$116.95
FDC-1

- Outdoor Dome • Vandal Proof • Weatherproof • Wall Or Ceiling Mountable • 25 IR LED's
- Hi-Res Color 420 TV Lines • 3.8mm Lens • Day/Night • 100' Siamese RG59 Cable
- 12Vdc 500mA Power Supply

Velleman Dummy Cameras

Dummy Dome Camera

$10.95
CAMZWDH1

Dummy Box Camera

$9.95
CAMD3

Fool anyone with these great look-a-like dummy cameras!

Intellinet Power over Ethernet Power Injector

$34.95
524179

Intellinet's PoE Injector enables users to connect their IEEE 802.3af-compliant products to non-PoE LAN switch ports as well as the ability to connect a wireless access point, IP phone, network camera, or any IEEE 802.3af powered device to a switch.

• Full Power Class 3 PoE Design

Intellinet 1-Port High-Power POE Power Injector

$62.95
560436

The Intellinet Network Solutions Power over Ethernet PoE+ Injector allows connection of your IEEE 802.af/at-compliant products to a non-PoE LAN Switch Port.

• Ideal when AC Power is not available
• Power output of up to 30W
• Compact Metal Case

EnGenius Single Port Gigabit Power over Ethernet Injector

$54.95
EPE-5818GAF

Eliminate the limitation of placing and Ethernet-enabled device, such as a wireless access point near a power outlet. The EPE-5818GAF delivers both data and electrical power to Ethernet-enabled devices using a single Ethernet CAT6 Cable.

• Remote power devices with 48V

4-Port Power over Ethernet Injector Hub

$89.95
POE-400

The POE-400 is a 4-Port Power over Ethernet injector hub that is equipped with 4 10/100Base-TX Fast Ethernet Ports and supports full 48VDC Power for any remote IEEE 802.3af powered device like Wireless LAN Access POints, IP phones, or LAN Cameras.

• 8-Port RJ-45 STP with 4-Port "Data" and 4-Port "Data and Power"

LTS High Power Single Port POE Power Injector

$49.95
POE-I100

The POE-I100 from LT Security offers a single port PoE Injector, which allows IEEE compliance with 802.3at/af specifications. This PoE injector also offers up to 30W to the PoE ports on this device, and can support a data pass through with rates up to 10/100Mbps.

• 30W to PoE Ports

LTS 4 Port Power over Ethernet Switch 65W

$99.95
POE-SW541

• 1 x Uplink Port, 4 x 10/100 Base-Tx with PoE
• Compatible with IEEE 802.3af PoE
• 48V/DC per port output; 15.4W Max
• Max 65W power consumption
• 100~240VAC/50~60Hz External Power Adapter

Engenius Indoor Power over Ethernet Adapter

$39.95
NPE-4818

PoE (Power-over-Ethernet) elminates the need to run 110/220VAC power to wireless access points / client bridges and other devices on a wired LAN.

- Inject 48V DC through CAT5 cable
- Follows 802.3af standard power pin
- Pin 1,2,3, and 6 for Data
- Pin 4, 5,7, and 8 for Power

D-Link Power over Ethernet Adapter Kit

$44.95
DWL-P200

D-Link, an industry leader in networking, introduces the DWL-P200 Power over Ethernet Adapter.

Deliver both data and power over a single CAT5 cable to any Ethernet-enabled devices such as access points or client bridges.

Linksys Powerline Network over Power Adapter

$89.95
PLEK400

Linksys Powerline Network Adapters allows you to run a high speed network over your building's existing wiring.

Home-Plug AV Technology speeds up to 200Mbps, transferring large files or streaming 1080p HD video to your TV.

- 2 Pack, plus 2 Ethernet Cables

IEEE 802.3af Power over Ethernet Extender

$114.95
POE-E101

Long Distance PoE and Data Extension Solution! Planet POE-E101 is a newly designed and simple device which extends both the reach of Ethernet Data and IEEE 802.3af Power over Ethernet over the standard 100m CAT5e/6 UTP cable up to 200m, 300m, or longer distances.

Power Panel In-Line Version



$149.00
POE1000IL

Power Panel In-Line Version with probe

$174.99
POE1000ILT

CAT5/6 Cables are jammed with data, phone and surveillance cameras. Even new technology such as 48V Power over Ethernet are becomming common place. The POE1000 power panel from ByteBrothers spots these devices, and includes two interactive buttons to exercise both switches and power.

- Reports activity on each pair
- The POE1000ILT version comes with a probe for testing

VMP DVR Lockbox w/ Fan

The DVR lockbox is primarily constructed of formed steel and shall include spot welds. The lockbox features an interlocking lift off lid and a keyed lock front door. Includes multiple cable knockouts to accommodate cable connections to the DVR.Also includes a fan with a power cord and vents for proper ventilation of the DVR

- Interior dimensions 21" L x 21" D x 8" H
- Vented and includes fan for additional ventilation
- Interlocking lift off lid
- Key locked hinging front door
- Black powder coat finish

$119.95
DVR-1LB

DLBX-RR5.....Rail Kit for DLBX (5RU).....**$15.95**

LevelOne PoE Splitter 10/100 Mbps

$29.95
POS-1002

The POS-1002 PoE Splitter from LevelOne, splits a networks PoE signal into seperate power and fast Ethernet data sources. Users can run fast Ethernet speed PoE cables over long distances and then split the signal into seperate data and power sources in order to run devices that aren't powered via PoE. Provides Interchangeable tips; Converts Non-PoE devices with Power over Ethernet Support; DIP switch for 5V, 9V and 12V adjustable power output

$99.95
QC41-F

Color Quad Processor

This color quad processor will allow you to display 4 cameras on a single screen for live viewing.

High Resolution, 4-Channel real time display, VCR playback, 2x2 Zoom In, Time, Date, Camera Title Dispalys, Freeze Quad Live Picture, No Power Adapter.

Security Warning Decals

EC-WS2
12" X 15"
Security Sign.....**$6.99**

EC-WS1
7" X 9"
Security Sign.....**$4.99**

ECDECAL5
5.25" X 5.25"
Security Sign.....**$1.99**

$1.99
ECDECAL5

"Warning! 24 HOUR VIDEO & AUDIO SURVEILLANCE" All events recorded for crime prevention and public safety.

$6.99
EC-WS2

$4.99
EC-WS1

Audio Pick Up for CCTV Camera

6mm Diameter Mini Microphone adds audio capability to CCTV Cameras.

$12.95
PA-3

Speco Pre-Amplified Line Level Mic

- Add-on mini microphone for all systems
- High sensitivity microphone with 1.5ft. power/audio cable.
- Easy to install and ideal for all security surveillance voice recording applications
- Line level output
- 12V DC operation

$13.95
CAMMIC

Audio Monitoring Decal

$1.99
ECDECAL1

ByteBrothers Mini 2.5" Color Monitor

- Small Portable 2.5" LCD Color Monitor
- Lightweight
- Continuous Use: Connect the AC adapter for continuous use or recharging the battery.
- Desk stand and wrist strap (for portable work) included in packaging.
- Included Lithium Ion Battery: High capacity battery with a 4 hour life

$99.00
VTX025

CCTV Monitors

Steel Cabinet with 800 lines resolution Black & White, up front controls with hinged cover, high resolution picture, Video In/Out looping, 75Ohm Termination.
UL listed. (BNC)

VM-901B 9" B/W, High Resolution
$179.95

Triplett CamView PTZ Multi-Function Test Tool

- Full Loop Thru capability or simultaneous View/ Gen mode
- Full Color 2.6" TFT-LCD Video Monitor
- Auto NTSC/ PAL detection and video display
- PTZ keyboard allows fast access to Pan, Tilt, Zoom, Focus, and Iris
- Supports RS-485, RS-422, and RS-232 PTZ interfaces
- Rechargeable Lithium Ion Polymer Battery provides 10 hr work time
- Carrying case with shoulder strap included

$359.95
8000-TRIPLETT

Triplett CamView W35 Security Camera Wrist Monitor with 3.5" LCD

- 3.5" High Contrast Active Matrix TFT LCD Screen
- High Brightness Daylight Viewable Display
- Wrist Mount or Desktop Use
- 6 Hour Rechargeable Batteries Included
- BNC Video Input Jack
- On Screen Display of Video Settings
- Audio Support (built in speaker)
- Auto NTSC/PAL Operation
- Auto Standby Mode Saves Battery Power
- Tripod Thread
- Silk Grip Finish

$199.95
8050

16 Port Passive Receiver Hub in 1U Rack Mounting Panel

- Monitor-side Rackmount Balun - 16 channel
- Provides organized wiring. Reduces cable clutter for more space.
- Balun input: 4 RJ45 jacks
- Video output: 16 BNC jacks
- Video up to 1000 ft. (or more when using active camera baluns)
- Steel construction

$75.00
RACK-016

Camera Mounts

Panavise CCTV Camera Window Mount

$24.95
809

A powerful suction pad attach this mount to car, truck, van ar SUV windows. Designed for temporary surveillance or in-vehicle camera systems.

Universal 6" Metal Housing Camera Bracket

$10.95
CST-100

Capable of being mounted to the wall or ceiling. Color black.

J-BOX Camera Mount

$24.95
899-06

Hollow shaft with .625" dia. cable pass thru. Fully adjustable at the camera 210° tilt and 360° rotation. 6" over all length. Color black.

Magnetic Base for Camera Mount

$14.95
864

Has a 1/4-20 male stud, magnet holds up to 5lbs. in a vertical pull.

- Base is 2.75" dia and .385" thick
- Black in color

Panavise Corner / Pipe Base - Black

$12.95
865

Perfect for external corners of wall joints or strapped to pipes at least 1.25in in diameter. Face is .75inc by 2.875in. Corner Clamp slots accept max strap width of .75in.

Panavise 13" Flex Camera Mount

This Panavise flex mount is ideal for working around corners and other obstacles.

$49.95
817-13

- The world's most reliable flex mounts!
- 13" (330.2mm) overall mount length (including shaft and ends)

$24.95
883-06

6" Dual Option Mount

Includes 2 mounting bases that screw into the machined aluminum alloy shaft. Tri-foot screw base for solid surfaces and T-bar clip for drop ceiling rails. Full range of motion at the camera 210° tilt 360° rotation. Color black.

Standard Camera Mount

- Hollow shaft with .625" dia. cable pass thru
- Fully adjustable at the camera 210° tilt and 360° rotation
- 6" of length
- Black

$24.95
849-06

Deluxe Micro Camera Mount

$17.99
845-246

Solid steel shafts will make a 2", 4", or 6" long mount. Fully adjustable at the camera 190° tilt and 360° rotation.
Color black.

Angle Micro Camera Mount

$16.95
846L

$24.95
CST-175

11" Heavy Duty Camera Mount Bracket

Aluminum, Silver in Color, Made for pan,tilt cameras and outdoor housings.

Universal Camera Bracket



- 180 degree tilt
- 1/4" / 20 threads throughout
- All parts interchangeable
- Base plate 2-3/8" diameter
- All steel construction
- Each set includes two 2" shafts, 2" x-base, 1" base extender, 2-3/8" round base, 1 head

CMB-1B Black .....**$11.95** CMB-1W White **11.95**

CCTV Outdoor Aluminum Camera Housings

- 8" Mounting Bracket
- Universal Mounting Plate fits most brands of mounting brackets
- Bracket Heads rotate 360°, Tilts 90°. Wall or ceiling mount
- 22 lb Weight Capacity



$48.95
CAMH-600K

Part #	Housing Size, Type, Dimensions: L x W x H	Heater/ Blower	Price
CAMH-400K	12" Outdoor Aluminum 11"x 6" x4.5"	NA	**$44.95**
CAMH-500K	12" Indoor/Outdoor Sealed Enclosure 12" x 6" x 4.5"	24 VAC	**$54.95**
CAMH-600K	15" Outdoor Aluminum 15" x 6" x 4.5"	NA	**$48.95**
CAMH-800K	15" Outdoor, Weather Sealed, Aluminum, Glass Window, 15" x 6" x 4.5"	24VAC	**$68.95**
618-IR	Outdoor IR Camera Housing w/ Blower	NA	**$89.95**
INCHPKITHB	InMotion Housing w/ Heater and Blower	24 VAC	**$79.95**

$8.99
CST-125

Universal 6" Compact ABS Black Plastic Camera Bracket

Features a swivel of 360° at the base and 180° at the camera for the wall or ceiling.

$9.95
DVCCAPDC18

LT Security Camera Power Splitter for 8 Cameras

DC Splitter with 1 Female and 8 Male ends allows you to power 8 cameras from one source, thus granting anyone the ability to upgrade their current security setup.

$39.95
DVCPA5A

LT Security Camera Power Supply for 8 Cameras

Use this power supply with #DVCCAPDC18 to supply power to 8 DC cameras.

Simply connect this power supply to a standard wall outlet and use the recommended splitter to easily upgrade your current security setup.

Professional Grade CCTV Power Supplies

Engineered to manage remote camera and accessory power requirements.

- Enclosures are premium P3 lockable heavy gauge metal
- Power On and Off Switch
- Individual LEDs for each fused output

12VDC CCTV Power Supply Individually Fused Outputs

- 4-Port, 3A, SE

$94.95
P3DC12-4-3

P3DC12-8-10 8-Port, 10A, LE, 12VDC Power Supply **$199.95**

P3DC12-16-10 16-Port, 10A, LE, 12VDC Power Supply **$199.95**

24VAC Power Supply



$159.95
P3AC24-16-14

- 16-Ports, 14.5A, SE
- 16 24VAC Individually Fused Outputs
- UL Listed

P3AC24-4-4L 4-Port, 4A, SE, 24VAC UL Listed Power Supply **$69.95**

Dual Power Supply



$169.95
P3DCAC-8-5

- 12VDC 8-Port 5A
- 24VAC 8-Port 4A
- 8 24VAC and 8 24VDC Individually Fused Outputs

CCTV Power Supplies

Part #	Description	Price
DPS-12DC-16	12VDC, 8Ah, 16 Channel	**$138.95**
DPS-12DC-9	12VDC, 4Ah, 9 Channel	**$69.95**
AT1210A-D07	12VDC, 10Ah 9 Channel	**$69.95**
DPS-16UL	24VAC, 8Ah, 16 Channel	**$109.95**
DPS-24AC12DC16	AC / DC, 7.5Ah 16 Channel	**$149.95**
DPS-9	24VAC, 4Ah, 9 Channel	**$68.95**
HPS129UL	12VDC, High output , 9 outputs, 8 amp total current, 800 mA Per Output, For use with IR cameras	**$88.95**
VPS1216UL	12VDC, High output, 16 outputs, providing 1.2 amps per output, for use with IR cameras, Integral surge protection. 100v-240vac input	**$179.95**

$138.95
DPS-12DC-16



$88.95
HPS129UL

CCTV Power Plugs

Part #	Description	Price
TC210	6' Coaxial Power Right Angle Plug Cord (2.1mm, 5.5mm O.D, 24AWG) Tinned on opposite end.	**$2.19**
TC218	6' Coaxial Power Straight Plug Cord (2.1mm, 5.5mm O.D, 18AWG)Tinned on opposite end.	**$2.69**
TC250	6' Coaxial Power Right Angle Plug Cord (2.5mm, 5.5mm O.D, 24AWG Tinned on opposite end	**$2.19**
W12.1MM	2.1mm Male Power Plug with 12" Cable Stripped and Tinned	**$1.39**
W32.1MM	2.1mm Female DC Power Jack w/ 36" Cable	**$1.89**
48-257	2.1mm Male Power Plug with 6' Cable Stripped and Tinned	**$2.69**
AC-1	2.1mm Power Plug with 12" cable to screw terminal block	**$2.49**

Power Plug on One End Only 3'

VB870-DC-N-36 **$4.49**

Power Plug to Screw Mount Cable 0.5'

VB870-DC-OP-6
$2.49

$2.69
TC218

6' Coaxial Power Right Angle Plug Cord

(2.1mm, 5.5mm O.D, 24AWG) Tinned on opposite end.

$2.19
TC210

Plug-In AC/DC Power Supplies

Part #	Description	Price
MGT-1220	12V AC, 20VA Class II	**$6.99**
MGT-1240	12V AC, 40VA Class II	**$8.99**
MGT-1620	16VAC, 20VA Class II	**$9.99**
MGT-1640	16V AC, 40VA Class II	**$8.99**
MGT2412DV	Dual Voltage 12VDC 1A & 24vac 15va Class II	**$12.95**
MGT-2420	20VA Class II	**$6.99**
MGT-2440	40VA Class II	**$8.99**
MGT-2450	50VA Class II	**$9.95**
MGT121AR	12VDC, 1 Amp Regulated	**$12.95**
MGT-12500SPS	Switching AC Adapter, 12VDC 500mah Regulated w/2.1mm power plug	**$8.99**
ST-241A	AC Adapter, 24VDC, 1 Amp with Screw Terminals	**$11.95**
57D-12-1500	AC Adapter, 12 VDC, 1.5A with Bare Leads	**$8.89**
DVCPA1250	100-240VAC to 12 VDC , 1.25A	**$12.95**
PSW-5	12 VDC , 500mA	**$14.95**
5015PS	12 VDC, 400mA	**$11.95**

CCTV Power and Video Extension Cable

True 75 ohm Coaxial Video cable with Male to Male BNC and 2.1mm Male to Female for Power.

Part #	Length	Price
42-2118	18″	**$5.95**
48-1023	6′	**$3.59**
48-1024	10′	**$4.95**
42-2025	25′	**$22.95**
42-2050	50′	**$29.95**
42-2100	100′	**$39.95**
MMA-B59DCX-100	100′	**$39.95**
42-2150	150′	**$54.95**
MMA-B59DCX-150	150′	**$54.95**
42-2118	18″	**$5.95**

12V Lithium-Ion Rechargeable Battery Set

This covert battery pack is high-powered, ultra-compact, and comes complete with a charger.

$59.95
LBP-124500

- 12VDC 4.5 Amp hours of power
- On/Off switch in battery pack
- Weight: 5.2oz • Size: 2″ x 3″ x ¾″
- Easily concealed for covert applications
- 2.1mm female input and 2.1mm male output plugs

AC to DC Power Converters

- Input 20-28VAC, 16-30VDC, Output 12VDC
- Allows Cameras to be powered by AC

AC/DC-2412-300 AC to DC Power Converter, 300ma Regulated **$9.89**

AC/DC-2412-800 AC to DC Power Converter, 800ma Regulated **$12.95**

42-2050

4-in-1 Passive Transceiver and Receiver Surge Protector

$39.95
W604V

1000V Max.

Twisted Pair Passive Transceiver

With a Video Input of 1X 1Vp-p, 75Ohms, Transmission Distance 2000′ - (600M) B/W, Cable for RJ45. $19.95
W600VT

Video Baluns

Part #	Description	Price
VID-GL	BNC to BNC ground loop isolator, Corrects most common CCTV ground loop problems. Built in (TVS)Transient Voltage Suppressors for surge prtoection.	**$29.95**
PIVB870-BS78-SP	Power Transfer Capable, BNC Connection and Power Adapter	**$16.95**
PIVB863-BP	Passive Video Balun, BNC Male, Terminal Type, Camera and Monitor Side	**$19.95**
PIVB870-BS78-PW	Video Balun Cat. 5 Type with Power. Allows transferring of video signal up to 100′ away	**$22.95**
VGA135	Operates Signal to Monitor 440′ away from PC	**$99.95**
LTA1010	BNC to RJ45 Balun with Power Connector (1 pair)	**$19.95**
LTA2201	BNC Ground Loop Isolator	**$16.95**
LTABOVA6	BNC to VGA Converter with Power Adapter	**$49.95**
PIVP-202-ADA	Video and Power over Cat5E Video Balun for Monitor Side	**$28.95**
PIVP-202-PW	Video and Power over Cat5E Video Balun for Camera Side	**$24.95**

18041

18038

28-90027

9052

28-74307

28-81417

28-28507

28-81407

CCTV Connectors

Part #	Discription	Price
18041	BNC COMPRESSION 75 OHM RG59	**$2.39**
18038	BNC COMPRESSION 75 OHM RG6U	**$2.39**
28-90027	BNC CRIMP 2PC / 75 ohm / RG-6 CABLE	**$3.29**
28-90007	BNC Male 2-Piece Crimp Connector 75 ohm - RG-59	**$2.99**
9052	BNC TWIST ON 1PC FOR RG-6	**$2.59**
28-90547	BNC Male Twist-On Connector - RG-59TFE, 62TFE	**$3.29**
28-74307	75 ohm BNC Splice (Jack to Jack)	**$2.99**
28-81407	75ohm BNC T Adapter (1M to 2F)	**$3.99**
28-81417	75 ohm BNC T (All Female)	**$4.99**
28-81507	75 ohm BNC RA (Right Angle) Adapter	**$3.99**
28-81007	75 ohm BNC Female to F Male	**$3.49**
28-75007	75 ohm BNC Male to F Female	**$3.49**
7510	BNC Male to RCA Female Adapter	**$1.59**
8110	BNC Female to RCA Male Adapter	**$2.19**
8130	BNC Male Splice Adapter	**$3.79**
8141	BNC T Adapter - Female / Female / Female	**$3.49**
8150	BNC Female to BNC Male Right Angle Adapter	**$3.99**
9050	BNC Male Twist-On Connector - RG 59, 62	**$2.59**

28-90547

28-81007

28-75007

28-90007

CCTV Crimpers

PA1257

VDV211-007

24-9960P

Part #	Description	Price
24-9960P	Full Cycle Universal Coax Ratchet Crimper Crimps Mini UHF, BNC and TNC Connectors for RG-58, RG-141, RG-142, RG-303, RG-59, RG62, RG-6, Belden 8279, 8281 and 9231 Cable.	**$54.95**
PA1255	Paladin Coax Stripper RG58, 59, 62AU & 6	**$18.95**
PA1257	Paladin Coax Stripper for RG59, RG6 and RG6 Quad	**$18.95**
PA1317	Paladin RG58 & RG59 BNC / TNC 1300 Series Crimper	**$63.95**
PA1594	Paladin LAN & A/V Cable-Check™	**$47.95**
70063	Paladin Adjustable Compression Crimper	**$32.95**
VDV212-803	Klein Ratcheting Crimper w/ Hex-Crimp Die Set	**$42.95**
VDV211-007	Klein CATV Multi-Connector Vertical Compression Crimper	**$34.95**
16220C	Platinum Tools SealSmart II Compression Tool RG6 Quad, RG6, RG59,RGB/Mini 59, 23, 24 and25 AWG	**$27.95**

PA-1317

16620C

Bulk CCTV Cable

RG-59/U Siamese Coax Cable, RG-59 20AWG + 1 Pair 18AWG (Black)



- 20AWG solid bare copper
- 1-pair 18AWG unshielded cable
- Bare copper braid provides 95% shield
- Polyethylene foam dielectric and pvc jacket
- Outside diameter: .232"
- Impedance: 75ohm

Part #	Length	Price
RG-59CCTV	1′	**$0.35**
RG-59CCTV-500	500′	**$129.95**
RG-59CCTV-1K	1000′	**$229.95**

RG-59/U Siamese Coax Cable, RG-59 20AWG + 1 Pair 18AWG (White)

- 20AWG solid bare copper
- 1-pair 18AWG unshielded cable
- Bare copper braid provides 95% shield
- Polyethylene foam dielectric and pvc jacket
- Outside diameter: .232"
- Impedance: 75ohm

Part #	Length	Price
RG-59WCCTV	1′	**$0.49**
RG-59WCCTV-500	500′	**$129.95**

RG-59/U Plenum Siamese Cable, RG-59 20AWG + 2C



- 20AWG solid bare copper
- 1-pair 18AWG unshielded cable
- Bare copper braid provides 95% shield
- Polyethylene foam dielectric and Plenum jacket
- Outside diameter: .232"
- Impedance: 75ohm
- Off White Colored Plenum Jacket

Part #	Length	Price
PRG-59CCTV	1′	**$0.83**
PRG-59CCTV-1K	1000′	**$449.95**

RG/6U Siamese CCTV Coaxial Cable



- 18AWG solid bare copper
- 1-pair 18AWG unshielded cable
- Bare copper braid provides 95% shield
- Polyethylene foam dielectric and pvc jacket
- Impedance: 75ohm

Part #	Length	Price
RG-6CCTV	1′	**$0.37**
RG-6CCTV-1K	1000′	**$299.95**

9 Retail Locations

San Antonio - I-35

Corporate Headquarters, Retail Store and Distribution Central!

11342 IH-35 North
San Antonio, TX 78233
(210) 637-3200 • Fax: (210) 637-3264
On I-35 North between Weidner & O'Connor

San Antonio - 281

14215 San Pedro
San Antonio, TX 78232
(210) 499-4201 • Fax: (210) 499-4261
On 281 Between Bitters & Winding Way

San Antonio - 1604

7502 N Loop 1604 W
San Antonio, TX 78249
(210) 877-1470 • Fax: (210) 877-2158
On 1604 between Kyle Seale & UTSA Blvd

Austin

9914 I-35 North
Austin, TX 78753
(512) 832-9131 • Fax: (512) 835-1328
On I-35 North between Braker & Rundberg

Corpus Christi

5945 McArdle
Corpus Christi, TX 78412
(361) 814-8882 • Fax: (361) 814-8812
Just off SPID at Airline & McArdle

Dallas

3215 Belmeade
Carrollton, TX 75006
(972) 267-8882 • Fax: (972) 267-0770
One Block West of Trinity Mills & Midway

Arlington/Ft. Worth

934 E. Copeland
Arlington, TX 76011
(817) 261-8882 • Fax: (817) 299-0416
At the SE Corner of I-30 & Collins

Waco

1525 IH-35 South
Waco, TX 76706
(254) 752-6599 • Fax: (254) 752-1725
On I-35 just south of Baylor University

Houston

18670 Northwest Freeway
Houston, TX 77065
(281) 469-8886 • Fax: (832) 237-0791
On 290W at West Rd.

Web/Mail Order

www.altex.com
800-531-5369
Fax: (210) 637-3264
Orders Shipped Fast, Nationwide or Worldwide

Prices, product descriptions and illustrations in this catalog are subject to change without notice. Altex Electronics is not liable due to omissions or typographical errors. Products and logos in this catalog are trademarks of their respective companies. TO UPDATE OR CHANGE YOUR ADDRESS CALL 800-531-5369. Copyright 1996-2011 Altex Electronics, Ltd. All rights reserved.